

ÖLFLEX® INSTRUM BS5308 Part 2, Type 2

PVC/IS/OS/PVC/SWA/PVC

Series L211W1

Multipair cable with PVC insulation armoured (Type 2)
Part2, Type2, individual and collective screened

Part No.	No. of pairs x sq. mm	Approx. Cable OD in mm	Approx. Copper wt in Kg/km	Approx. Cable wt in Kg/km	Outer sheath colour
12870701	2x2x0.5mm ²	16.2	32.5	399.5	Black
12870702					Grey
12870703	3x2x0.5mm ²	17.2	46.5	453.5	Black
12870704					Grey
12870705	4x2x0.5mm ²	19.2	60.6	616.6	Black
12870706					Grey
12870707	3x2x0.5mm ²	21.0	74.8	713.8	Black
12870708					Grey
12870709	6x2x0.5mm ²	23.0	89.5	896.5	Black
12870710					Grey
12870711	8x2x0.5mm ²	25.3	117.2	1114.3	Black
12870712					Grey
12870713	10x2x0.5mm ²	29.5	146.3	1496.2	Black
12870714					Grey
12870715	12x2x0.5mm ²	31.1	174.8	1655.5	Black
12870716					Grey
12870717	2x2x0.75mm ²	16.2	40.6	430.4	Black
12870718					Grey
12870719	3x2x0.75mm ²	17.2	58.6	485.5	Black
12870720					Grey
12870721	4x2x0.75mm ²	19.2	76.7	656.4	Black
12870722					Grey
12870723	5x2x0.75mm ²	20.8	94.7	744.7	Black
12870724					Grey
12870725	6x2x0.75mm ²	23.0	113.2	938.9	Black
12870726					Grey
12870727	8x2x0.75mm ²	25.3	149.5	1163.4	Black
12870728					Grey
12870729	10x2x0.75mm ²	29.5	189.0	1543.3	Black
12870730					Blue
12870731	12x2x0.75mm ²	31.1	226.2	1981.9	Black
12870732					Grey
12870733	2x2x1.00mm ²	19.0	48.9	587.4	Black
12870734					Grey
12870735	3x2x1.00mm ²	19.8	71.0	650.6	Black
12870736					Grey
12870737	4x2x1.00mm ²	21.5	93.2	750.5	Black
12870738					Grey
12870739	5x2x1.00mm ²	23.9	115.5	999.8	Black
12870740					Grey
12870741	6x2x1.00mm ²	25.9	138.3	1156.9	Black
12870742					Grey
12870743	8x2x1.00mm ²	27.6	182.6	1303.8	Black
12870744					Grey
12870745	10x2x1.00mm ²	32.3	230.9	1739.8	Black
12870746					Grey
12870747	12x2x1.00mm ²	33.3	276.8	1889.7	Black
12870748					Grey
12870749	14x2x1.00mm ²	32.6	323.1	1482.5	Black
12870750					Grey
12870751	2x2x1.5mm ²	21.0	64.4	688.9	Black
12870752					Grey
12870753	3x2x1.5mm ²	22.5	94.3	843.4	Black
12870754					Grey
12870755	4x2x1.5mm ²	24.8	124.2	1051.1	Black
12870756					Grey
12870757	5x2x1.5mm ²	27.1	154.1	1213.6	Black
12870758					Grey
12870759	6x2x1.5mm ²	30.0	184.0	1585.5	Black
12870760					Grey

ÖLFLEX® INSTRUM BS5308 Part 2, Type 1

PVC/IS/OS/PVC

Series L21001

Multipair cable with PVC insulation unarmoured (Type 1)

Part 2, Type 1, individual and collective screened

Part No.	No. of pairs x sq. mm	Approx. Cable OD in mm	Approx. Copper wt. in Kg./km	Approx. Cable wt. in Kg./km	Outer sheath colour
12870584	2x2x0.5mm ²	11.4	32.5	95.0	Black Grey
12870585					
12870586	3x2x0.5mm ²	12.3	46.5	128.0	Black Grey
12870587					
12870588	4x2x0.5mm ²	14.0	60.5	172.1	Black Grey
12870589					
12870590	5x2x0.5mm ²	15.4	74.8	205.9	Black Grey
12870593					
12870594	6x2x0.5mm ²	17.4	89.5	264.0	Black Grey
12870595					
12870596	8x2x0.5mm ²	19.1	117.2	349.2	Black Grey
12870597					
12870598	10x2x0.5mm ²	22.5	146.3	416.8	Black Grey
12870599					
12870510	12x2x0.5mm ²	23.7	174.8	491.9	Black Grey
12870511					
12870512	14x2x0.5mm ²	25.1	203.4	565.1	Black Grey
12870513					
12870514	16x2x0.5mm ²	26.7	232.1	642.4	Black Grey
12870515					
12870516	18x2x0.5mm ²	28.5	260.9	752.0	Black Grey
12870517					
12870518	20x2x0.5mm ²	30.4	289.5	844.9	Black Grey
12870519					
12870520	2x2x0.75mm ²	12.4	40.8	115.7	Black Grey
12870521					
12870522	3x2x0.75mm ²	13.4	58.5	153.9	Black Grey
12870523					
12870524	4x2x0.75mm ²	15.0	76.7	198.2	Black Grey
12870525					
12870526	5x2x0.75mm ²	16.7	94.7	247.6	Black Grey
12870527					
12870528	6x2x0.75mm ²	18.8	113.2	336.6	Black Grey
12870529					
12870530	8x2x0.75mm ²	20.6	149.5	417.5	Black Grey
12870531					
12870532	10x2x0.75mm ²	24.5	189.0	509.2	Black Grey
12870533					
12870534	12x2x0.75mm ²	25.6	236.1	587.2	Black Grey
12870535					
12870536	14x2x0.75mm ²	27.1	283.5	674.5	Black Grey
12870537					
12870538	16x2x0.75mm ²	28.8	300.7	766.7	Black Grey
12870539					
12870540	18x2x0.75mm ²	30.6	338.0	880.7	Black Grey
12870541					
12870542	2x2x1.00mm ²	13.2	48.9	134.5	Black Grey
12870543					
12870544	3x2x1.00mm ²	14.0	71.0	172.1	Black Grey
12870545					
12870546	4x2x1.00mm ²	15.9	93.2	230.3	Black Grey
12870547					
12870548	5x2x1.00mm ²	17.7	115.5	286.8	Black Grey
12870549					
12870550	6x2x1.00mm ²	19.7	138.3	375.6	Black Grey
12870551					
12870552	8x2x1.00mm ²	21.8	182.8	480.3	Black Grey
12870553					
12870554	10x2x1.00mm ²	25.9	230.9	582.4	Black Grey
12870591					
12870592	12x2x1.00mm ²	26.9	276.8	672.2	Black Grey
12870593					
12870556	14x2x1.00mm ²	28.8	323.1	773.1	Black Grey
12870557					
12870558	16x2x1.00mm ²	30.4	367.3	876.0	Black Grey
12870559					
12870560	18x2x1.00mm ²	32.2	413.5	1004.8	Black

ÖLFLEX® INSTRUM BS5308 Part 2, Type 1

PVC/IS/OS/PVC

Series L21001

Multipair cable with PVC insulation unarmoured (Type 1)
Part 2, Type 1, individual and collective screened

Part No.	No. of pairs x sq. mm	Approx. Cable OD in mm	Approx. Copper wt in Kg/km	Approx. Cable wt in Kg/km	Outer sheath colour
12870562	2x2x1.5mm ²	15.4	64.9	178.3	Black
12870563					Grey
12870564	3x2x1.5mm ²	16.9	95.0	245.4	Black
12870565					Grey
12870566	4x2x1.5mm ²	18.6	125.2	307.8	Black
12870567					Grey
12870568	5x2x1.5mm ²	20.9	155.4	392.1	Black
12870569					Grey
12870570	6x2x1.5mm ²	23.0	186.0	495.8	Black
12870571					Grey
12870572	8x2x1.5mm ²	25.5	246.7	670.7	Black
12870573					Grey
12870574	10x2x1.5mm ²	30.2	308.4	767.3	Black
12870575					Grey
12870576	12x2x1.5mm ²	31.6	369.5	894.9	Black
12870577					Grey
12870578	14x2x1.5mm ²	33.8	430.3	1043.4	Black
12870579					Grey
12870580	16x2x1.5mm ²	35.7	491.3	1167.0	Black
12870581					Grey
12870582	18x2x1.5mm ²	38.0	553.8	1352.9	Black
12870583					Grey

[CLICK HERE FOR MORE DETAILS](#)